



# Alley 4D




Alley Grey\_100\*100  
Alley Grey\_100\*100 BH





# Alley 4D

Alley  
Mud\_100\*100 BH



White

Bone


Mud

Grey

Anthracite



## ALLEY 4D



9 patterns

100 \* 100 \* 0,8 cm | 39 \* 39"

RECTIFIED	NATURAL		ANTISLIP BUSH HAMMERED	
	BN94	BN110	BN99	BN112
WHITE	-	23396	-	23401
BONE	23398	-	23403	-
GREY	23397	-	23402	-
MUD	23399	-	23404	-
ANTHRACITE	23400	-	23405	-



36 patterns

24 \* 100 \* 0,8 cm | 10 \* 39"

RECTIFIED	NATURAL
	BN109
WHITE	23800
BONE	23801
GREY	23802
MUD	23803
ANTHRACITE	23828




54 patterns

15,5 \* 100 \* 0,8 cm | 6 \* 39"

RECTIFIED	NATURAL
	BN108
WHITE	23805
BONE	23806
GREY	23807
MUD	23808
ANTHRACITE	23809

## D. ALLEY MOSAIC



25 \* 25 cm | 10 \* 10"

NO RECTIFIED	NATURAL	ANTISLIP BUSH HAMMERED
	P39	P39
WHITE	23485	23491
BONE	23482	23487
GREY	23483	23489
MUD	23484	23490
ANTHRACITE	23481	23488

## D. ALLEY BRICK



29,8 \* 29,2 cm | 12 \* 12"

NO RECTIFIED	NATURAL
	P50
WHITE	23497
BONE	23494
GREY	23495
MUD	23496
ANTHRACITE	23493



**22303** ALUMINIO/100/MAT \_ 100 \* 0,5 cm | 39 \* 0,2" \_ **P42**



**26153** L. GOLDEN/MAT/100 \_ 100 \* 0,5 cm | 39 \* 0,2" \_ **P42**

## EMBALAJE | PACKING

(Los pesos aquí reflejados pueden sufrir ligeras variaciones en función del lote de producción. Weights shown here may slightly vary depending on the production lot.)

Formato   Sizes	Cajas   Boxes			Pallet			Cont./20' 21500 kg	Cont./20' 24000 kg
cm	Piezas	m <sup>2</sup> /sq.m	kg	Cajas	m <sup>2</sup> /sq.m	kg	Tamaño cm aprox.	m <sup>2</sup> /sq.m
100 * 100 * 08	2	2	37	32	64	1226	112 * 112 * 100	1122,35
24 * 100 * 0,8	4	0,96	17,7	40	38,4	731,8	120 * 80 * 63	1259,36
15,5 * 100 * 0,8	8	1,24	22,9	32	39,68	774,6	112 * 112 * 56	1229,32
inch	units	ft <sup>2</sup>	lb	Boxes	ft <sup>2</sup>	lb	Sizes Inch approx.	ft <sup>2</sup>
39 3/8 * 39 3/8 * 5/16	2	21,53	81,59	32	688,90	2703,33	44 1/16 * 44 1/16 * 39 3/8	12080,97
9 7/16 * 39 3/8 * 5/16	4	10,33	39,02	40	413,33	1613,62	47 1/4 * 44 1/16 * 24 13/16	12143,59
6 1/8 * 39 3/8 * 5/16	8	13,34	50,48	32	427,11	1708,15	44 1/16 * 44 1/16 * 22 1/16	11853,92



## PIEZA COMPLEMENTARIA | COMPLEMENTARY PIECE

AF. Alféizar - Windowsill	PL. /18 Peldaño técnico - Technical stair - thread	PT. Peldaño técnico - Technical stair - thread	PR. Peldaño Romo Rounded stair - thread	R. Rodapie Skirting	S.K.I.	S.K.D.	Z.R.I.	Z.R.D.
25*90 cm   10*36" P77 25*120 cm   10*48" P54	30*100 cm   12*39" P74	30*100 cm   12*39" P74 A= 0,8 cm B= 2,4 cm	30*100 cm   12*39" P85	8*100 cm   3*39" P45	8*30 cm   3*12" P53			

## PIEZA ESPECIAL PISCINA | SPECIAL PIECE POOL

P.V. Peldaño Vierteagua Pool Coping	ANG.P.V. Peldaño vierteagua angulo Pool Coping internal corner	E.P.V. Peldaño vierteagua esquina Pool Coping external corner	REJ. Rejilla Drainage grate	ANG.REJ. Angulo rejilla   Angle corner drainage grate	T.REJ. Taco rejilla   Square corner drainage grate
20*100 cm   8*39" P82	20*100 cm   8*39" P80 (PACK 2 units)	20*100 cm   8*39" P80 (PACK 2 units)	15*50*1,6 cm   6*20" P87	15*50*1,6 cm   6*20" P74 (PACK 2 units)	15*15*1,6 cm   6*6" P66

## CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

joint	frost proof	versatile	matt	full body	diferent shades	shade variation	various graphics	thickness

## CARACTERÍSTICAS TÉCNICAS ANTIDESLIZAMIENTO | ANTI-SLIP CHARACTERISTICS

Ensayo   Essay	Características   Features	Resultado   Result	
		NATURAL	ANTISLIP BUSH HAMMERED
DIN 51130	Ángulo crítico (Pies calzados)   Critical angle (footwear)	R9	R11
DIN 51097	Ángulo crítico (Pies descalzos)   Critical angle (Wet loaded barefoot)	-	A+B+C
BS 7976-2	Antideslizamiento (Test del péndulo)   Slip resistance (Pendulum test-PTV)	-	+36 Wet
UNE-ENV 12633	Antideslizamiento (Test del péndulo)   Slip resistance (Pendulum test)	Class 1	Class 3
ANSI A137.1	Coeficiente de Fricción Dinámico   Dynamic Coefficient of Friction (DCOF)	>0,42	>0,42
ISO 10545-6	Resistencia a la abrasión profunda/ Resistance to Deep Abrasion	< 175 mm <sup>3</sup>	< 175 mm <sup>3</sup>